




XTRON ONE-XE & EW1000L Series



The Xtron pedestal lineup is designed and engineered from the experience gained from years of development in marina and ship manufacturing. We take customer feedbacks and requirements as our base in product development to be able to have cost effective solutions. Thus providing more simple, reliable and more functional service pedestals and other marine equipment.

Our mission is to provide innovative and well engineered products to our customers. We focused more on different approach to meet international standards in engineering, manufacturing and customer experience.

Xtron is all about innovation and doing things differently, and we strongly believe in high standards of quality and customer support.

www.xtronint.net



XTRON CUBE-EW3000 Series

Xtron CUBE Series of pedestals have unique design and form-factor and are made from reinforced High Quality Fiberglass with smooth metal like finishing.

The Xtron CUBE EW-3000 Series are compact but practical eletrical & water dispensing pedestals with extra room to accommodate highly customizable electrical compartments.

The Power range can be configured from 16 amp to 125 amp three phase

The Water compartment is on the backside and hidden from front view, give it sleek look even if water pipes are attached to the tap.

Power full and power efficient LED strip deck light for maximum illumination.



XTRON PRO-EW4000Y Series
XTRON SOS-600Y Series



Xtron PRO Series of pedestals are manufactured using special marine grade aluminium extrusion. Designed to be versatile and customizable to our client's requirements.

The Xtron PRO EW-4000Y Series are an eletrical & water dispensing pedestals.

The Power range can be configured from 16 amp to 250 amp single/three phase

The head and base is high density polyethylene (HDP) for long lasting service life.

Power full and power efficient LED strip light for 360 degree illumination



Xtron PRO Series of pedestals are manufactured using special marine grade aluminium extrusion. Designed to be versatile and customizable to our client's requirements.

The Xtron PRO EW-4000B Series are an eletrical & water dispensing pedestals with an optional access door for electrical compartment for added protection from UV and weather.

The Power range can be configured from 16 amp to 250 amp three phase

The head and base is high density polyethylene (HDP) for long lasting service life.

Power full and power efficient LED strip light for 360 degree illumination



WHY XTRON?

XTRON
INTERNATIONAL
www.xtronint.net

"We believe in brand quality and image, so we hand select the high quality internal electronic components and technologies from Italy, United Kingdom, Germany, U.A.E and China in our supply chain. The Xtron Pedestals are made of marine grade powder coated aluminium and other hight quality materials to give our products long operation life and durability."



OUR VISION

We put our customers at the centre of what we do and value, challenge and reward our people. We drive excellent sustainable financial performance..

We value, feedback from end users and innovate accordingly.



XTRON ADVANTAGE



- 1. Manufactured in UAE
- 2. Support shall be available at all times
- 3. Faster delivery and services on site
- 4. Xtron pedestals are made to last longer with high quality components for best customer experience.
- 5. We work with our customer to develop custom solutions for their particular requirements
- 6. We honer customer brand value
- 7. We never compromise of safety and quality of our customers and our products






OUR VALUE

XTRON
INTERNATIONAL
www.xtronint.net

Al Hamra Marina & Yacht Club - Ras Al Khama

135 Service Pedestals and installation with MEP work will replace old existing pedestals with improved functionality and durability



PROJECTS







PROJECTS











Power Pedestals

XTRON INTERNATIONAL WWW.xtronint.net

XTRON ONE-XW - Electric Pedestal Specification - XE-1000L

| Body Construction | Unibody Design - 6082 Marine Grade Aluminium |
|-----------------------------|--|
| Dimensions | 1100mm x 180mm x 180mm |
| Body Color | Powder-coated JOTUN Paint |
| Weather Protection | Rustproof body and weather resistant components |
| Impact Resistance | 3mm Unibody Strong Alumimiun construction |
| Power Range & Protection | 16 to 125 amp / Individual RCBO for each Socket |
| Lighting (Standard Option) | 1 x Heavy duty IP66 Waterproof Rated LED light, 3 Hight Power LED chips per unit |
| Photocell Sensor (Standard) | Heavy duty IP65 photocell sensor for LED light automatic uninterrupted operation |
| Access / reset | IP67 Enclosure |



Typical Power System

| Circuit Breakers | Two Pole or Four Pole (Hager / Schneider) |
|--------------------------------|---|
| Voltage range | - 20% to + 10%: 230 - 400 V |
| Vmax | 254 - 440 V |
| Frequency | 50 / 60 Hz |
| IP rating | IP2X |
| Breaking capacity IEC 898 (kA) | 6 |
| Tripping Curve | С |

Socket System

| Ampere | 16amp or 32amp (Type A) |
|-----------------|--|
| | 63amp or 125amp (Type B) |
| Phase | Single phase or three phase |
| Poles (Socket) | 3 (Type A) or 5 (Type B) |
| Voltage | 230 V to 400 V |
| Connection Type | Screw-less connection technology (Type A), Lamellar contact (Type B) |
| IP rating | IP67 |

All Specifications can be customized according to customer requirements

Power Pedestals



XTRON ONE-EW - Electric & Water Pedestal Specification - EW-1000L

| Body Construction | Unibody Design - 6082 Marine Grade Aluminium |
|-----------------------------|--|
| Dimensions | 1100mm x 180mm x 180mm |
| Body Color | Powder-coated JOTUN Paint |
| Weather Protection | Rustproof body and weather resistant components |
| Impact Resistance | 3mm Unibody Strong Alumimiun construction |
| Power Range & Protection | 16 to 125 amp / Individual RCBO for each Socket |
| Lighting (Standard Option) | 1 x Heavy duty IP66 Waterproof Rated LED light, 3 Hight Power LED chips per unit |
| Photocell Sensor (Standard) | Heavy duty IP65 photocell sensor for LED light automatic uninterrupted operation |
| Access / reset | IP67 Enclosure |

Socket System

| Ampere | 16amp or 32amp (Type A) | |
|-----------------|--|--|
| | 63amp or 125amp (Type B) | |
| Phase | Single phase or three phase | |
| Poles (Socket) | 3 (Type A) or 5 (Type B) | |
| Voltage | 230 V to 400 V | |
| Connection Type | Screw-less connection technology (Type A), Lamellar contact (Type B) | |
| IP rating | IP67 | |



Water Dispensing Unit

| Number of Taps | 2 |
|------------------|-------------------------------------|
| Water Tap 1 | 1/4" turn stainless steel water tap |
| Pip work & Valve | Copper Piping with Non return valve |
| Incoming | Incoming water pipe coupler |

All Specifications can be customized according to customer requirements

Water Pedestals



XTRON ONE-W - Water Pedestal Specification - XW-802

| Body Construction | Unibody Design - 6082 Marine Grade Aluminium |
|----------------------|---|
| Dimensions | 1000mm x 150mm x 150mm |
| Body Color | Powder-coated JOTUN Paint |
| Weather Protection | Rustproof body and weather resistant components |
| Impact Resistance | 4mm Unibody Strong Alumimiun construction |
| Access / maintenance | Water proof aluminium access panel |

Water Dispensing Unit

| Number of Taps | 2 |
|-------------------|--------------------------------------|
| Water Tap 1 and 2 | 1/4" turn stainless steel water taps |
| Valve | Non return valve |
| Incoming | Incoming water pipe coupler |
| Pipwork | All internal pipwork |
| Splash mat | 1 x pedestal to deck rubber mat |
| Water Meter | N/A |

Xtron Water Pedestals can be fitted with LED light totally isolated with water dispensing system



SOS Pedestals

XTRON INTERNATIONAL www.xtronint.net

XTRON PROTECTION - Safety Pedestal Specification - XS-520L

| Body Construction | Unibody Design - 6082 Marine Grade Aluminium |
|--------------------|---|
| Dimensions | 1200mm x 180mm x 180mm |
| Body Color | Powder-coated JOTUN Paint |
| Weather Protection | Rustproof body and weather resistant components |
| Impact Resistance | 3mm Strong Reinforced FRP |
| Safety Gare Access | Water proof aluminium access door |
| Access / reset | IP67 Enclosure |

Safety Gare Included

| Fire Extinguisher | 1 x 6 Kg |
|---|-------------------------|
| Life Ring 30" | 1 |
| Floating Rope | 10 Meter (Orange Color) |
| First Aid Kit with waterproof plastic box | 25 component |

Alert Light

| LED Alert Light with Buzzer | 1 |
|-----------------------------|---|
| Weatherproof | IP65 |
| Breaker | 8 Amp (Single pole) |
| Electrical | 1 x set of three phase incoming cable terminals |
| | All internal pipwork |
| Splash mat | 1 x pedestal to deck rubber mat |

